- 17. (New) A radial bearing made of a copper alloy mainly comprising Cu, Zn, Al, Mn, and Si.
- (New) The radial bearing according to claim 17, wherein said copper alloy contains 54 to 64 wt% of Cu, 0.2 to 3.0 wt% of Si, 0.2 to 7.0 wt% of Mn, 0.5 to 3.5 wt% of Al, and the remainder substantially of Zn.
- 19. (New) A radial bearing, comprising a brass alloy in which an Mn-Si compound is crystallized in a brass base material.
- 20. (New) The radial bearing according to claim 19, wherein said brass alloy has a structure in which an Mn-Si compound crystallized in said brass base material is elongated and is dispersed.
- 21. (New) The radial bearing according to claim 19, wherein a floating metal comprises said radial bearing.

## REMARKS

A new set of claims is presented. Favorable action on the merits is now requested.

If there are any questions regarding this amendment or the application in general, a telephone call to the undersigned would be appreciated since this should expedite the prosecution of the application for all concerned.

If necessary to effect a timely response, this paper should be considered as a petition for an Extension of Time sufficient to effect a timely response, and please charge any deficiency in fees or credit any overpayments to Deposit Account No. 05-1323 (Docket #381NT/50973).

Respectfully submitted,

January 8, 2002

James F. McKeown Registration No. 25,406

CROWELL & MORING, LLP P.O. Box 14300 Washington, DC 20044-4300 Telephone No.: (202) 624-2500 Facsimile No.: (202) 628-8844

JFM/acd 056208.50973US